

**DECLARATION OF PERFORMANCE nr. EE3001**

1.	<b>Product-type:</b> Unique product type identification code:	<b>WK THERM-S</b>
2.	<b>Type</b> , batch, or serial number, or any other means enabling the identification of the construction product as required by Article 11(4):	The batch number is on the package
3.	The intended use or uses of the construction product in accordance with the applicable harmonized technical specification as planned by the manufacturer:	Plastic dowel with metal screw for fixing external thermal insulation composite systems to concrete and masonry
4.	<b>Manufacturer's name</b> , registered trade name, or registered trademark and contact address, as required by Article 11(5):	<b>Klimas Wkret-met Sp. Z O.O</b> Ul. Wincentego Witosa 135/137 Kuznica Kiedrzynska 42-233 Mykanow Poland
5.	<b>Contact address:</b> In applicable cases, the name and contact address of authorized representatives whose mandate covers the tasks defined in Article 12 paragraph 2:	<b>Est Profil OÜ</b> (reg. Nr 11437438, KMKR EE101201575) Turu 41a, Tartu, 50106 Tartumaa Estonia
6.	<b>Assessment and verification of constancy of performance (AVCP):</b> The system or systems for assessment and verification of constancy of performance of construction products, as set out in Annex V of the Construction Products Regulation:	<b>System 2+</b>
7.	<b>Notified body (hEN):</b> Name and identification number of the notified body (in case the performance declaration concerns construction products covered by a harmonized standard):	<b>Not applicable</b>
8.	<b>Notified body (ETA):</b> Name and identification number of the technical assessment body (in case the performance declaration concerns a construction product for which a European Technical Assessment has been issued):	Guidelines ESD 330196-01-0604 edition 10/2017 ETA-13/0724 / 09.02.2023 Deutsches Institut für Bautechnik – DIBt 1488

9.	<b>Declared performance/s:</b>
----	--------------------------------

Essential characteristics	Concrete C12/15	Concrete C20/25	Brics / calcium silicate brics	Lightweight concrete	Autoclaved concrete	Harmonized technical specification
Tensile strength [kN]	1.2	1.5	1.5 / 0.75	0.9	0.6 (AAC2) 1.2 (AAC7)	ETA – 13/0724 From 30.02.2023 In accordance with ETAG 014
Point thermal transmittance [W / K]	0.002					
Plate stiffness [kN/mm]	0.6					

10.	<b>Declaration</b>
The performance of the product defined in points 1 and 2 corresponds to the declared performance in point 9. This declaration of performance is issued only under the responsibility of the manufacturer specified in point 4.	

Signed by the authorized representative

Raigo Kõrgesaar, board member

(name, surname, and job title)

Tartu 19.02.2024

(place and date of issue)



(signature)